


Docket No.: 043877-0142



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	Customer Number: 31824
Misao Fujikawa	:	Confirmation Number: 3944
Application No.: 10/535,478	:	Group Art Unit: 1722
Filed: May 17, 2005	:	Examiner: Kuang Y. Lin
For: ENHANCED COLD CHAMBER	:	
DIE CASTING MOLDING	:	
MACHINE	:	

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Sir:

In reviewing the above-identified patent, a printing error was discovered therein requiring correction in order to conform the Official Record in the application.

The error noted is set forth on the two attached copies of form PTO-1050 Rev. 2-93 in the manner required by the Commissioner's Notice.

Specifically, in Claim 1, column 18, line 66, there should be a "," after "duct".

The change requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice. Accordingly, Applicants request issuance of the Certificate of Correction.

Certificate
AUG 07 2007
of Correction

AUG 7 2007

10/535,478

Please charge any shortage in fees due in connection with the filing of this paper to Deposit
Account 502203 and please credit any excess fees to such deposit account.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP



Mark J. Itri

Registration No. 36,171

18191 Von Karman Ave., Suite 500
Irvine, CA 92612-7108
Phone: 949.851.0633 MJJ:dmt
Facsimile: 949.851.9348
Date: August 2, 2007

**Please recognize our Customer No. 31824
as our correspondence address.**

ORC 420192-1.043877.0142

AUG 7 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,137,435
DATED : [case_issue_date]
INVENTOR(S) : Misao Fujikawa

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE CLAIMS:

Column 18, line 66, there should be a “,” after “duct”.

MAILING ADDRESS OF SENDER:
Mark J. Itri, Esq.
McDermott Will & Emery LLP
18191 Von Karman, Suite 500
Irvine, CA 92612

PATENT NO. 7,137,435

No. of add'l copies
@ 50¢ per page

}

AUG 7 2007